

Customer Specification PART NO. 9316

Construction

| | | | | Diameters (In |) | |
|----------------|-------|---|---|---------------|--------------------|--|
| 1) Component 1 | | 1 X 1 COND | 1 X 1 COND | | | |
| a) Conductor | | 25 (7/.0067) AWO | 25 (7/.0067) AWG SCW | | 0.020 | |
| b) Insulation | | 0.020" Wall, Nom | 0.020" Wall, Nom. PTFE | | 0.060 | |
| (1) Color(s) | | | | | | |
| Cond | Color | Cond | Color | Cond | Color | |
| 1 | CLEAR | | | | | |
| 2) Shield | | SPC BRAID Shie | SPC BRAID Shield,94% Coverage, Min. | | | |
| 3) Jacket | | 0.010" Wall, Nom | 0.010" Wall, Nom.,FEP | | 0.098 (0.102 Max.) | |
| a) Color(s) | | NATURAL TAN | NATURAL TAN | | | |
| b) Print | | MIL-DTL-17 M17, AWG SHIELDED 1971 150C 125V * = Factory Code | ALPHA WIRE-* P/N 9316 MIL-DTL-17 M17/113-RG 316 12814 E346462 1C 26 AWG SHIELDED 200C (UL) C(UL) CMG FT4 OR AWM 1971 150C 125V ROHS * = Factory Code [Note: Product may have c(UL) or CSA markings depending upon plant of manufacture.] | | | |

Applicable Specifications

| Application of commentations | | | | |
|------------------------------|-----------------------|------------------------------|--|--|
| 1) UL | AWM/STYLE 1971 | 150°C / 125 V _{RMS} | | |
| | СМС | 200°C | | |
| 2) CSA International | C(UL) TYPE CMG | 200°C | | |
| | FT4 | | | |
| 3) Military | MIL-C-17/113 RG 316/U | 200°C / 900 V _{RMS} | | |

Environmental

| 1) EU Directive 2002/95/EC(RoHS): | | | |
|-----------------------------------|--|--|--|
| | All materials used in the manufacture of this part are in compliance with EU Directive 2002/95/EU regarding the restriction of use of certain hazardous substances in electrical and electronic equipment. Consult Alpha Wire's web site for compliance Date of Manufacture. | | |
| 2) California Proposition 65: | The outer surface materials used in the manufacture of this part meet the requirements of California Proposition 65. | | |

Properties

| Physical & Mechanical Properties | | |
|----------------------------------|---------------------------------|--|
| 1) Temperature Range | -55 to 200°C | |
| 2) Bend Radius | 10X Cable Diameter | |
| 3) Pull Tension | 2.11 Lbs, Maximum | |
| Electrical Properties | (For Engineering purposes only) | |
| 1) Voltage Rating | 900 V _{RMS} | |
| 2) Characteristic Impedance | 50 +/- 2 | |
| 3) Ground Capacitance | 29.3 pf/ft @1 kHz, Nominal | |
| 4) Velocity of Propagation | 70 % | |
| 5) Conductor DCR | 85.8 /1000ft @20°C, Nominal | |
| 6) OA Shield DCR | 8.5 /1000ft @20°C, Nominal | |
| 7) Voltage Withstanding | 2 kV, Minimum | |
| 8) Corona Extinction | 1.2 kV, Minimum | |
| 9) SRL, db Minimum | 30 @ 50 Mhz | |
| | 30 @ 100 MHz | |
| | 23 @ 400 MHz | |
| | 21 @ 1 GHz | |
| | 17 @ 3 GHz | |
| 10) Attenuation, Max dB/100ft | 7.5 @ 50 MHz | |
| | 11 @ 100 MHz | |
| | 21 @ 400 MHz | |
| | 38 @ 1 GHz | |
| | 58 @ 3 GHz | |

Other

| Packaging | Flange x Traverse x Barrel (inches) | |
|------------------------|--|--|
| a) 1000 FT | 9 x 4.5 x 3.5 Max. 3 separate pieces; Min length/piece 100 FT. | |
| b) 500 FT | 6.5 x 4 x 2.5 Max. 2 separate pieces; Min length/piece 100 FT. | |
| c) 100 FT | 3.5 x 3 x 1.125 Continuous length | |
| d) Bulk(Made-to-order) | (Max 3 peices per 1000 Ft/ Min length 100ft) | |
| | [Spool dimensions may vary slightly] | |

www.alphawire.com

Alpha Wire | 711 Lidgerwood Avenue, Elizabeth, NJ 07207 Tel: 1-800-52 ALPHA (25742)

Although Alpha Wire ("Alpha") makes every reasonable effort to ensure there accuracy at the time of publication, information and specifications described herein are subject to errors or omissions and to changes without notice, and the listing of such information and specifications does not ensure product availability.

Alpha provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Alpha be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary) whatsoever, even if Alpha had been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.