Rosenberger

Saving Time and Costs

Floating Test Adaptors

TEST & MEASUREMENT 10 dB!



Floating Test Adaptors

Rosenberger provides floating test adaptors for a number of standard RF test interfaces. Due to their self-finding design they are suitable for automated testing processes in laboratories, e.g. of couplers, splitters, antennas and other high-frequency devices. Radial and axial misalignment ensures safe contact with the DUT – without reducing the performance.

The self-finding construction makes fast and easy connecting and disconnection processes – which means significant time and cost reductions.

Product Features

- Radial and axial misalignment possible
- Reliable and repeatable test results
- Low contact pressure < 80 N
- Excellent return loss
- Small dimensions
- Very fast connecting and disconnection process significant time and cost reduction











Products

Product Portfolio

Rosenberger No.	DUT Device Under Test	Adaptor			
		Connector Floating – Side	Connector Fixed – Port Side	Frequency	Flange
03K705-S23S3	RPC-N female	RPC-N male	RPC-3.50 female	DC to 18 GHz	2-hole
03K706-S24S3	RPC-TNC female	RPC-TNC male			
03K710-K22S3	RPC-SP male	RPC-SP female		DC to 22 GHz	
03K717-S22S5	Longwipe-SMP female	Longwipe-SMP male (smooth bore)		DC to 6 GHz	
03K719-S22S3	SMP female	SMP male (full detent)		DC to 26.5 GHz	
03K719-S60S3	P-SMP female	P-SMP male (full detent)		DC to 10 GHz	
03K721-S23S3	RPC-3.50/SMA/K female	RPC-3.50 male		DC to 26.5 GHz	
03K728-S22S3	QMA female	QMA male		DC to 18 GHz	
03K760-S23N5	7-16 female	7-16 male		DC to 8 GHz	
03K764-S22D3	4.3-10 female	4.3-10 male		DC to 6 GHz	
03K489-S22D3	NEX10 [™] female	NEX10™ male		DC to 20 GHz	4-hole
05K489-S22D3	NEX10 [™] female	NEX10™ male		DC to 18 GHz	

For product information in detail, data sheets are available.



Website

For more information refer to our website: www.rosenberger.de/en/products/tm/

Rosenberger

Rosenberger Hochfrequenztechnik GmbH & Co. KG Hauptstraße 1 | 83413 Fridolfing P.O. Box 1260 | 84526 Tittmoning Germany Phone +49 8684 18-0

Phone +49 8684 18-0 info@rosenberger.com www.rosenberger.com
Certified by ISO/TS 16949 · DIN EN 9100 · ISO 9001 · ISO 14001

Order No. pA 363665 · Info341FloatingTestPort 1500/2017

Rosenberger $^{\text{®}}$ is a registered trademark of Rosenberger Hochfrequenztechnik GmbH & Co. KG. All rights reserved.

© Rosenberger 2017