

Molded Parts Specification Control Drawing

Part Number : 202D921 thru 963 Description : Boot, Straight

- 1. All dimensions are in $\frac{\text{incres}}{[\text{millimeters}]}$
- 2. Dimensions appearing in table are as follows:
 - a As Supplied
 - b After Unrestricted Recovery
- Coating is optional. As supplied dimensions appearing in table are for uncoated parts. When coating is added, entry diameters will be reduced by .06 max.
- Molding port is optional. When -00 modification number is specified molding port will be located as shown.





| TABLE OF DIMENSIONS | | | | | | | | | | | | | |
|---------------------|--------|------------|-------------------------|------------------------|-------------|--------|------------|-------|--------------|--------------|--------------|-------|--------------|
| PART NUMBER | н | | J | | | Р | R | s | Т | U | JO | нw | JW |
| | Min | Max | Min -3,-4, -8,-25 | Min -6,-12, -100 | Max | ±10% | Ref | Ref | Ref | ±10% | ±10% | ±20% | ±20% |
| | a | b | a | a | b | b | b | b | ь | ь | b | ь | b |
| 202D921 | .76 | .51 | .25 | .18 | .08 | 2.37 | <u>.46</u> | .12 | .04 | .62 | 1 <u>.48</u> | .06 | . <u>045</u> |
| | [19,3] | [13,0] | [6,3] | [4,5] | [2,1] | [60,2] | [11,7] | [3,0] | [1,0] | [15,7] | [37,6] | [1,5] | [1,14] |
| 202D932 | 1.03 | <u>.75</u> | .30 | .22 | .10 | 2.92 | .48 | .12 | . <u>04</u> | .80 | 1 <u>.77</u> | .07 | . <u>045</u> |
| | [26,1] | [19,1] | [7,6] | [5,5] | [2,6] | [74,2] | [12,2] | [3,0] | [1,0] | [20,3] | [45,0] | [1,8] | [1,14] |
| 202D953 | 1.35 | 1.02 | .38 | .26 | . <u>12</u> | 3.32 | .48 | .12 | . <u>04</u> | . <u>90</u> | 2.01 | .07 | . <u>045</u> |
| | [34,2] | [26,0] | [9,6] | [6,6] | [3,1] | [84,3] | [12,2] | [3,0] | [1,0] | [20,9] | [51,1] | [1,8] | [1,14] |
| 202D963 | 1.72 | 1.34 | .45 | .31 | . <u>14</u> | 3.92 | .48 | .12 | . <u>065</u> | 1 <u>.03</u> | 2.27 | .07 | . <u>045</u> |
| | [43,6] | [34,1] | [11,4] | [7,8] | [3,6] | [99,6] | [12,2] | [3,0] | [1,65] | [26,2] | [57,7] | [1,8] | [1,14] |

tyco/Electronics

202D921 thru 963 Revision: T Part Number : Date: 4/3/03

Part Number :

Description : Boot, Straight


Description: Boot, Straight

202D921 thru 963

Molded Parts Specification Control Drawing

| COMPATABILITY CHART | | | | | | | | | |
|---------------------|--|---------|-------------------|------------------------|---------------------|--|--|--|--|
| MATERIAL DASH NO. | MATERIAL DESCRIPTION | RT SPEC | COATING SLASH NO. | COATING S NO. | COATING DESCRIPTION | | | | |
| -3 | Polyolefin, Semi-rigid | RT-301 | /42; /86; /180 | S-1017; S-1048; S-1030 | Adhesive | | | | |
| -4 | Polyolefin, Flexible | RT-1304 | /42; /86; /180 | S-1017; S-1048; S-1030 | Adhesive | | | | |
| -6 | Silicone | RT-602 | N/A | | | | | | |
| -8 | Polyolefin, Space | RT-1308 | N/A | | | | | | |
| -12 | *VITON, Flexible | RT-1312 | N/A | | | | | | |
| -25 | Elastomer, Fluid Resistant | RT-1325 | /42;/86 | S-1017; S-1048 | Adhesive | | | | |
| -100 | Polyolefin, Semi-flexible ZEROHAL TM | RT-1323 | /86,/180,/184 | S-1048,S-1030 | Adhesive | | | | |

*VITON is a Registered Trademark of Dupont



THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE; CONSULT YOUR NEAREST FIELD REPRESENTATIVE FOR CURRENT REVISION

tyco/Electronics

TYCO ELECTRONICS 300 CONSTITUTION DRIVE MENLO PARK, CALIFORNIA 94025

Revision: T Date: 4/3/03

202D921 thru 963 Part Number :

Description: Boot, Straight

CAD FILE MP03085